

Aquarium Data File Corydoradinae by Drawing

Aquarium Data File Corydoradinae with Drawing



Aquarium Data File

Corydoradinae

with Drawing



Osakanacraft

Aquarium Data File
Corydoradinae
with Drawing



Osakanacraft

- 001- *Asplenium adnigrum*
002- *Asplenium adnigrum*
003- *Asplenium adnigrum*
004- *Asplenium adnigrum*
005- *Asplenium adnigrum*
006- *Asplenium adnigrum*
007- *Asplenium adnigrum*
008- *Asplenium adnigrum*
009- *Asplenium adnigrum*
010- *Asplenium adnigrum*
011- *Asplenium adnigrum*
012- *Asplenium adnigrum*
013- *Asplenium adnigrum*
014- *Asplenium adnigrum*
015- *Asplenium adnigrum*
016- *Asplenium adnigrum*
017- *Asplenium adnigrum*
018- *Asplenium adnigrum*
019- *Asplenium adnigrum*
020- *Asplenium adnigrum*
021- *Asplenium adnigrum*
022- *Asplenium adnigrum*
023- *Asplenium adnigrum*
024- *Asplenium adnigrum*
025- *Asplenium adnigrum*
026- *Asplenium adnigrum*
027- *Asplenium adnigrum*
028- *Asplenium adnigrum*
029- *Asplenium adnigrum*
030- *Asplenium adnigrum*
031- *Asplenium adnigrum*
032- *Asplenium adnigrum*
033- *Asplenium adnigrum*
034- *Asplenium adnigrum*
035- *Asplenium adnigrum*
036- *Asplenium adnigrum*
037- *Asplenium adnigrum*
038- *Asplenium adnigrum*
039- *Asplenium adnigrum*
040- *Asplenium adnigrum*
041- *Asplenium adnigrum*
042- *Asplenium adnigrum*
043- *Asplenium adnigrum*
044- *Asplenium adnigrum*
045- *Asplenium adnigrum*
046- *Asplenium adnigrum*
047- *Asplenium adnigrum*
048- *Asplenium adnigrum*
049- *Asplenium adnigrum*
050- *Asplenium adnigrum*
051- *Asplenium adnigrum*
052- *Asplenium adnigrum*
053- *Asplenium adnigrum*
054- *Asplenium adnigrum*
055- *Asplenium adnigrum*

- 131 *Haplomys albigularis*
132 *Haplomys areolaris*
133 *Haplomys arizonae*
134 *Haplomys bartholomaei*
135 *Haplomys beccarii*
136 *Haplomys beccarii*
137 *Haplomys beccarii*
138 *Haplomys beccarii*
139 *Haplomys beccarii*
140 *Haplomys beccarii*
141 *Haplomys beccarii*
142 *Haplomys beccarii*
143 *Haplomys beccarii*
144 *Haplomys beccarii*
145 *Haplomys beccarii*
146 *Haplomys beccarii*
147 *Haplomys beccarii*
148 *Haplomys beccarii*
149 *Haplomys beccarii*
150 *Haplomys beccarii*
151 *Haplomys beccarii*
152 *Haplomys beccarii*
153 *Haplomys beccarii*
154 *Haplomys beccarii*
155 *Haplomys beccarii*
156 *Haplomys beccarii*
157 *Haplomys beccarii*
158 *Haplomys beccarii*
159 *Haplomys beccarii*
160 *Haplomys beccarii*
161 *Haplomys beccarii*
162 *Haplomys beccarii*
163 *Haplomys beccarii*
164 *Haplomys beccarii*
165 *Haplomys beccarii*
166 *Haplomys beccarii*
167 *Haplomys beccarii*
168 *Haplomys beccarii*
169 *Haplomys beccarii*
170 *Haplomys beccarii*
171 *Haplomys beccarii*
172 *Haplomys beccarii*
173 *Haplomys beccarii*
174 *Haplomys beccarii*
175 *Haplomys beccarii*
176 *Haplomys beccarii*
177 *Haplomys beccarii*
178 *Haplomys beccarii*
179 *Haplomys beccarii*
180 *Haplomys beccarii*
181 *Haplomys beccarii*
182 *Haplomys beccarii*
183 *Haplomys beccarii*
184 *Haplomys beccarii*
185 *Haplomys beccarii*
186 *Haplomys beccarii*
187 *Haplomys beccarii*
188 *Haplomys beccarii*
189 *Haplomys beccarii*
190 *Haplomys beccarii*
191 *Haplomys beccarii*
192 *Haplomys beccarii*
193 *Haplomys beccarii*
194 *Haplomys beccarii*
195 *Haplomys beccarii*
196 *Haplomys beccarii*
197 *Haplomys beccarii*
198 *Haplomys beccarii*
199 *Haplomys beccarii*
200 *Haplomys beccarii*
201 *Haplomys beccarii*
202 *Haplomys beccarii*
203 *Haplomys beccarii*
204 *Haplomys beccarii*
205 *Haplomys beccarii*
206 *Haplomys beccarii*
207 *Haplomys beccarii*
208 *Haplomys beccarii*
209 *Haplomys beccarii*
210 *Haplomys beccarii*
211 *Haplomys beccarii*
212 *Haplomys beccarii*
213 *Haplomys beccarii*
214 *Haplomys beccarii*
215 *Haplomys beccarii*

Aspidoras brunneus

(Nijssen & Isbrücker, 1976)



Common name

Size:

Type Locality :

Distribution:

Roncador Catfish
20mm

Mato Grosso State
Upper Araguaia river basin

Araguaia川上流に生息するAspidorasです。
体側に太いバンドがあります。
背ビレと尾ビレに縞模様があります。

This *Aspidoras* lives in the Upper Araguaia river basin.
It has thick bands on its sides.
It has stripes on its dorsal and caudal fins.

(Britto, 2000)



Aspidoras depinnai

Ipoluca Catfish

Size:

Type Locality :

Distribution:

Ipoluca river basin,
Ipoluca river basin, Draining rivers,
Ipoluca rivers of North East Brazil
Coastal rivers of Aspidorasです。

ブラジル東部の河川に生息するAspidorasです。
体側の模様は不規則なバンドです。
背ビレにラインがあります。
尾ビレに不規則なラインがあります。

This *Aspidoras* lives in the rivers of eastern Brazil.
The pattern on the side of the body is an irregular band.
There is a line on the dorsal fin.
There is an irregular line on the caudal fin.

Brochis garbei (Ihering, 1911)



Common name: Bahia Cory
 Size: 50 mm
 Type Locality: São Francisco river
 Distribution: São Francisco river basin, Amazon river, Xingu river

São Francisco川流域、Amazon川下流、Xingu川に生息するBrochis。体中央に複数の斑紋があります。尾ビレにスポットがあります。

This is Brochis, which lives in the São Francisco river basin and the Xingu river. It has multiple spots in the center of its body. It has a spot on its caudal fin.

(Nijssen & Isbrücker, 1983)




Common name: Bolivian Cory
 Size: 60 mm
 Type Locality: Mamoré river basin, Middle Amazon river, Madeira river
 Distribution: Mamoré river basin, Mamoré river

Mamoré川流域、Amazon川中流、Madeira川に生息するBrochisです。オスは非常に美しい網目模様をしています。オスにある模様がメスにはありません。(同義語)です。Corydoras bolivianusは本種のsynonym(同義語)です。

This Brochis lives in the Mamoré river basin, the middle Amazon river, and the Madeira river. Males have a very beautiful net pattern as the males. Females do not have the same pattern as this species. Corydoras bolivianus is a synonym of this species.

Gastrodermus napoensis

(Nijssen & Mouton, 1989)



Common name
Size:
Type Locality :
Distribution:

Rio Napo Cory
40mm
Lagartococha, northern tributary of the
Western Amazon River basin in

西Amazon川流域と東EcuadorとペルーのLoretoに生息する。黒地に金のスポットが点在し尾ビレに向かって黒い模様が濃くなる。背ビレにも黒い模様が濃くなる。尾ビレにも黒い模様が濃くなる。

This is Gastrodermus that live in Western Amazon River basin, Loreto, Peru. There are gold spots scattered on a black background. There are black spots on the dorsal fin. There are irregular black spots on the adipose fin also has a black pattern.

(Sands, 1989)



C111. Nijssen's Cory

30 mm
Tributary of the Negro river
Negro river basin, Middle Amazon river

Negro river basin, Middle Amazon river

西Amazon川流域と東EcuadorとペルーのLoretoに生息する。黒地に金のスポットが点在し尾ビレに向かって黒い模様が濃くなる。背ビレにも黒い模様が濃くなる。尾ビレにも黒い模様が濃くなる。

This is Gastrodermus species lives in the Negro river basin and the midstream of the Amazon river. The upper sides of the body are black. It has an eye band on its face. There is a pattern at the base of the dorsal fin.

Hoplisoma acrense

(Nijssen, 1972)



Common name

Acre Corydoras

Size:

55 mm

Type Locality :

Juruá river

Distribution:

Juruá river basin.

Juruá川に生息するHoplisomaです。
C. trilineatumに非常によく似ています。
背ビレに斑紋があります。
尾ビレに縞模様があります。

This is Hoplisoma that lives in the Juruá river.
It is very similar to C. trilineatum. There are spots on the dorsal fin.
There are stripes on the caudal fin.

Hoplisoma adolfoi (Burgess 1982)



Adolfo's Cory

Common name

55mm

Upper Negro river

Size:

Type Locality :

Negro river basin.

Distribution:

Negro川流域Amazon川中流に生息するHoplisomaです。より細いです。
背中に黒い模様がありますがHoplisoma duplicareumより細いです。
背ビレと尾ビレに斑紋はありません。
顔にアイバンドがあります。

This is Hoplisoma that lives in the Negro river basin and the middle reaches of the Amazon river.
There is a black pattern on its back, but it is thinner than Hoplisoma duplicareum.
There are no markings on the dorsal or caudal fins.
There is an eye band on the face.

Osteogaster maculure (Tencatt, Gomes & Evers, 2023)



Common name
CW016, Lieutenant Cory

Size
55 mm

Type Locality
Madeira river

Distribution
Madeira river, Middle Amazon river, Madeira river

Madeira, Amazon川中流、Madeira川に生息するOsteogasterで、
背ビレ付け根から腹部にかけて黒いバンドがあります。
顔にはアイバンドがありますが目の上で終わっています。
This Osteogaster lives in the Madeira river, the middle Amazon river and the
Madeira river. It has a black band from the base of the dorsal fin to the
base of the caudal fin. There is a black band on the face above the eye.

This Osteogaster lives in the Madeira river, the middle Amazon river and the
Madeira river. There is a black band from the base of the dorsal fin to the
base of the caudal fin. There is a black band on the face above the eye.

Osteogaster melanotaenia (Regan, 1912)



Common name
Elongate Bronze Cory

Size
75 mm

Type Locality
Meta river system

Distribution
Meta river basin, Middle Orinoco river

Meta川流域、Orinoco川に生息するOsteogasterです。
Osteoに類似しています。
ほとんども黒ずんでいます。
腹ビレと背ビレに模様がありません。

This Osteogaster lives in the Meta river basin and the Orinoco river.
It resembles O. aenea.
The upper half of its body is black.
There are no patterns on its dorsal or caudal fins.

Scleromystax barbatus

(Quoy & Gaimard, 1824)



Common name

Bearded Cory Banded Corydoras Checkered Cory

Size:

100 mm

Type Locality :

Fazenda da Japubyba near Agra dos Reis

Distribution:

Coastal drainages from Rio de Janeiro, La Plata river, Upper Paraná river, Grande river, Verde river, Capivari river

Paraná 上流, Grandell, Verdel, Corvati

Paraná 上流, La Plata 上流

Rio de Janeiroの排水路, La Plata 上流

に生息するScleromystaxです。

頭部に虫食い模様があります。

非常に大型になる種です。

This Scleromystax lives in the Rio de Janeiro drainage, La Plata river, upper Paraná river, Grande river, Verde river, and Capivari river.

It has worm-eaten patterns on its head.

This is a very large species.

Scleromystax lacerdai

(Hieronimus, 1995)



Common name

C015, Lacerda's Cory

Size:

55 mm

Type Locality :

Ribeira river

Distribution:

Ribeira da Terra Firme river

Ribeira da Terra Firme川に生息するScleromystaxです。仲間に太いバンド模様があります。

This Scleromystax lives in the Ribeira da Terra Firme River. It has a thick band pattern down the center of its body.



Osakanacraft